

CENTRIFUGAL PUMP **HC** Model



- 復水ポンプ
- その他

- * Condensate Pump
- * Others





PART	NAME OF PART -	MATERIAL	- QTY.
NO.	NAME OF FART	NOMINATION	- QII.
01	Casing	Cast Iron	1
02	Casing Cover	Cast Iron	1
10	Impeller	Phosphor Bronze Casting	1
11	Pump Shaft	Stainless Steel	1
14	Impeller Nut	High Tension Brass	1
16A	Ball Bearing	High Carbon bear Steel	1
16B	Ba ll Bearing	High Carbon bear Steel	1
20	Shaft Sleeve	Stainless Steel	1
21	O Ring	Synthetic Rubber	1
22	Mouth Ring	Leaded Bronze Casting	2
23	Impeller Washer	Stainless Steel	1
26	Seal Bush	Leaded Bronze Casting	1
28	Packing Gland	Bronze Cast	1
29	Water Shelter	Synthetic Rubber	1
30A	Retaining Ring	Carbon Tool Steel	1
30B	Retaining Ring	Carbon tool Steel	1

PART		MATERIAL	QTY.	
NO.	NAME OF PART	NOMINATION		
31	Gland Packing	Carbonized Fiber Packing	1 Set	
40	Bearing Case	Cast Iron	1	
41A	Bearing Cover	Cast Iron	1	
41B	Bearing Cover	Cast Iron	1	
45A	Felt Ring	Felt	1	
45B	Felt Ring	Felt	1	
52	Flexible Coupling	Cast Iron	1	
53	Flexible Coupling	Cast Iron	1	
548	Coupling Bolt Complete	Mild Steel	1 Set	
55	Buffer Ring	Synthetic Rubber	1 Set	
57	Coupling Cover	Mild Steel	1	
60	Common Bed	Cast Iron	1	
K10	Key For Impeller	Stainless Steel	1	
K52	Key For Coupling	Carbon Steel	1	
P01	Balance Pipe	Mild Steel	1 Set	

HC MODEL PERFORMANCE CHART

HORIZONTAL SINGLE STAGE SINGLE SUCTION





																		Dimensions : mm				
Model	Motor (kW)	Bore Suc.	Del.	Α	В	С	D	Е	F	G	Н	I	J	K	L	N	R	Z	Mass (kg)			
■ HC-5D	1.5	65	32	180	130	165	315	100	600	30	Min 100	25	200	240	23	15	350	170	55			
■ HC-10F	3.7	100	50	190	155	216	440	120	700	33	Min 100	25	300	340	23	15	428	216	95			
■ HC-30F	3.7 5.5	100	50	190	155	216	440	120 150	700 750	33	Min 100	25	300	340	23	15	423	216	95			